Fiber-optic links go into telephone nets . . .NEWS, ED 11, p. 21
Fiber-optics systems are few, but watch out for the explosion. . .NEWS, ED 15, p. 26
High-energy electron beam powers 100-kW laser. . .NEWS, ED 8, p. 25
High-frequency synthesizer. . .ART, ED 4, p. 120
International standards set for fiber optics . . .NEWS, ED 3, p. 14
Jitter and drift cut in Trapatt oscillator . . .NEWS, ED 10, p. 22
Laser modulator requires less power . . .NEWS, ED 24, p. 22
Laser scanner finds textile flaws. . .NEWS, ED 17, p. 38
Laser system scribes—also cuts, drills and welds. . .PF, ED 10, p. 126
Linear/loop antenna may resolve Quad-vs-Yagi controversy. . .SR, ED 8, p. 64
Low-noise vhf synthesizer is small and inexpensive. . .PF, ED 6, p. 114
Matched filters boost receiver gain. . .ART, ED 11, p. 162
Million-hour life seen for GaAlAs lasers . . .NEWS, ED 16, p. 26
Modern media...SR, ED 18, p. 98
Nuclear pumping may put gas lasers in space. . .NEWS, ED 18, p. 20
Optical-fiber transmission links. . .ART, ED 23, p. 64
Perform calculations or tell time—on the phone. . .NEWS, ED 14, p. 22
Put the resolution where needed in a digitally controlled tuning system. . .IFD, ED 25, p. 98
Radio. . .SR, ED 18, p. 58
Radio receiver reaches 670 GHz with 'quasioptics' and new mixer mount . . .NEWS, ED 23, p. 26
Real-time digital audio processor picks out distorted conversations. . .NEWS, ED 17, p. 34
Recorded messages to be stored in bubble memory. . .NEWS, ED 5, p. 18
SSB and vhf-FM radiotelephones highlighted at National Boat Show. . .NEWS, ED 3, p. 22
Schottky diode mixer enables imaging system to operate at 90 GHz. . .NEWS, ED 2, p. 30
Small PBX system has 'large' capabilities . . .NEWS, ED 4, p. 21
Telephone. . .SR, ED 18, p. 43
Television. . .SR, ED 18, p. 70
Tiny companding a/d crams 72 dB of input into 8 bits. . .PF, ED 9, p. 128
UV excitation doubles efficiency of CO laser. . .NEWS, ED 25, p. 22
X-band radar receiver has everything but bulk. . .NEWS, ED 3, p. 13
Yak it up long-distance—but watch the charges. . .NEWS, ED 17, p. 19
60-MHz power oscillator generates a low-noise output. . .IFD, ED 10, p. 90

Components

Adjust ferrite-core constants. . .ART, ED 24, p. 154
Avoid relay-specification pitfalls. . .ART, ED 6, p. 78
Bypass filters extend. . .ART, ED 15, p. 78
Consider polypropylene capacitors. . .ART, ED 20, p. 76
Design power inductors step by step . . .ART, ED 26, p. 148
FOCUS on miniature switches. . .SR, ED 6, p. 66
Graph provides easy solution for choosing a preferred-number sequence. . .IFD, ED 22, p. 90
Heat switches the PTC thermistor. . .ART, ED 23, p. 76
High-voltage resistor. . .ART, ED 20, p. 84
Metal-film 2% 1/4-W sized resistors cover 0 to 22 MΩ and handle 350 V to 1/2 W . . .PF, ED 14, p. 99
Optimize circuit overload protection . . .ART, ED 22, p. 76
PCB dielectric replaced by a safer fluid . . .NEWS, ED 5, p. 18
Revisiting the cross-field inductor. . .ART, ED 6, p. 82
SAW oscillator takes strain by working as a pressure sensor. . .NEWS, ED 25, p. 38
Selecting capacitors properly. . .ART, ED 13, p. 66
Simple solid-state relay circuit can be built with few components. . .IFD, ED 2, p. 96
Small low-cost solid-state relays handle the 5-to-40-A load range. . .PF, ED 11, p. 252
Thin-film SAW units are very temperature-stable. . .NEWS, ED 1, p. 27

Computers & Data Processing

A/d converter delivers 8-bit words at 20-MHz data rates. . .PF, ED 25, p. 105
Bell modems face redesign to meet FCC demands. . .NEWS, ED 24, p. 21
Bit-oriented protocols plus standard interfaces ease data communication . . .SR, ED 12, p. 36
Business computer has a small price tag . . .NEWS, ED 1, p. 28
Chips replace software in data-comm systems. . .NEWS, ED 9, p. 27
Charge-coupled approach leads to new LSI digital logic devices. . .NEWS, ED 3, p. 20
Chip power reduced by CAD programs . . .NEWS, ED 15, p. 22
Clipped pin protects software from prying eyes. . .NEWS, ED 20, p. 23
Combination circuit reduces part count with RAM and I/O on same chip. . .PF, ED 13, p. 134
Compute coupled-microstrip line. . .ART, ED 1, p. 116
Computer-aided design beats trial-and-error—just find the software. . .SR, ED 12, p. 44
Computer-graphic photo montage simplifies land-use projects. . .NEWS, ED 17, p. 32
Control up to four drives with processor-based system. . .PF, ED 25, p. 111
Cut your processor's computation time . . .ART, ED 17, p. 82
Digital process monitor uses PROM for scaling. . .PF, ED 24, p. 175
Digital tape recording is denser, but standardization isn't standard. . .NEWS, ED 21, p. 28
Direct addressing way up with 32-bit computer. . .NEWS, ED 24, p. 22
Distributed processing spreads computer intelligence around. . .NEWS, ED 19, p. 38
Double-buffer characteristic of a UART gives speed without overrun errors . . .IFD, ED 26, p. 178
Double memory catches hidden logic glitches. . .NEWS, ED 23, p. 21
Dynamic memories offer advantages . . .ART, ED 14, p. 66
Exchange data between digital systems . . .ART, ED 9, p. 96
Faster modems and terminals spur data communications at 1200 bps. . .NEWS, ED 20, p. 28
Firmware, software package shapes distributed systems network. . .PF, ED 23, p. 124
Floppy-disc drives come in compact packages. . .PF, ED 15, p. 115
FOCUS on cassette and cartridge recorders. . .SR, ED 12, p. 66
FOCUS on floppy-disc drives. . .SR, ED 21, p. 196
FOCUS on semiconductor RAMs. . .SR, ED 17, p. 56
Four-phase logic is practical. . .ART, ED 26, p. 160

Subject Listing

Circuits & Circuit Theory
Communications, Microwaves & Lasers
Components
Computers & Data Processing
Consumer Electronics
Displays & Electro-Optics
General Industry
Industrial Electronics
Management
Materials & Packaging
Medical Electronics
Microprocessors
Military & Aerospace
Semiconductors
Test & Measuring

ANNUAL INDEX

High density tape head reads data at 240 Mbit/s. . .NEWS, ED 17, p. 20

Home computer spells out errors in plain English. . .NEWS, ED 17, p. 20

Industry's first 18-bit modular DAC fits in palm-sized case. . .PF, ED 6, p. 113

Intelligent memory holds the key to a limitless array of computers. . .NEWS, ED 16, p. 30

Interface circuit teams cassette recorder with a CRT to work as a TTY/paper-tape unit. . .IFD, ED 12, p. 120

Kenneth Iverson: From a symbolic notation to A Programming Language. . .SR, ED 12, p. 52

Jumbo serial memories now off the shelf . . .NEWS, ED 8, p. 25

Keyboard for 64-key ASCII code features very low power consumption. . .IFD, ED 1, p. 132

Largest bubble chip developed by Rockwell. . .NEWS, ED 13, p. 18

Logarithmic a/d delivers like a 23-bit unit . . .NEWS, ED 22, p. 20

Logic interfacing circuit translates many levels to TTL regardless of polarity . . .IFD, ED 17, p. 106

Long shift registers can be built with RAMs . . .IFD, ED 1, p. 128

Lowest-cost 16-bit mini leads computer-kit line. . .NEWS, ED 14, p. 21

Mini systems group upgraded by Honeywell. . .NEWS, ED 3, p. 13

Minicomputers are banding together to replace central processors. . .SR, ED 1, p. 46

Model RAMs automatically. . .ART, ED 17, p. 72

Modern data acquisition is complex. . .ART, ED 22, p. 60

Multichannel 12-bit DASs packed into tiny plug-ins. . .PF, ED 22, p. 114

Multilingual teleprinter types in either direction. . .NEWS, ED 11, p. 40

NDRO core memory protects data from noise. . .NEWS, ED 4, p. 22

Novel rotary printer prints 2200 characters/s. . .NEWS, ED 7, p. 19

Obtain a compressed counting range with a variable-modulus counter. . .IFD, ED 14, p. 88

Optical recorder employs new storage medium. . .NEWS, ED 13, p. 18

Optimize transducer/computer interfaces . . .ART, ED 11, p. 178

PROM programmer has slave unit capability. . .PF, ED 19, p. 148

PROM programmers have grown—some have both brains and 'personality'. . .SR, ED 12, p. 58

Peripheral distributes computer power with cable. . .NEWS, ED 20, p. 23

Power-off switch saves watts in new PROM . . .NEWS, ED 13, p. 18

Power switch ROMs and PROMs quickly . . .ART, ED 9, p. 102

Powerful calculators for the blind. . .ART, ED 5, p. 54

Predict a 4-k RAM's average I_{DD}. . .ART, ED 17, p. 78

Predict system dependability. . .ART, ED 19, p. 100

Printer-calculator combo plots graphs, writes words. . .NEWS, ED 12, p. 21

Programmable gate arrays add flexibility, cut complexity. . .PF, ED 2, p. 101

Programming controller for the 2708 EPROM copies data in-circuit. . .IFD, ED 8, p. 148

Provide a carriage-return delay for typewriter data terminals with hardware . . .IFD, ED 20, p. 110

Pulsing a PROM's supply voltage greatly reduces the energy used. . .IFD, ED 16, p. 102

Put all input a/d channels under DMA . . .ART, ED 1, p. 100

Real-time systems often use interrupts . . .ART, ED 10, p. 80

Recognize upper-case letters only with a simple two-gate circuit. . .IFD, ED 15, p. 106

Revised data-interface standards. . .ART, ED 18, p. 138

Rugged minicomputer is conduction-cooled. . .NEWS, ED 12, p. 22

Scientific calculators offer more computing power—and cost less. . .NEWS, ED 5, p. 20

Select a character/function decoder . . .ART, ED 14, p. 80

Shifting control to firmware speeds computer operations. . .NEWS, ED 23, p. 28

Simplify analog/computer interfacing . . .ART, ED 17, p. 92

Simulated operations help oil tanker officers. . .NEWS, ED 6, p. 21

Single-board minis deliver maxi performance at micro $. . .PF, ED 11, p. 234

Snare those elusive aliasing errors. . .ART, ED 11, p. 186

Software distribution is a problem in personal computing—with solutions . . .NEWS, ED 21, p. 34

Speed up digital processors. . .ART, ED 19, p. 78

Standard to improve computer security . . .NEWS, ED 2, p. 15

Standardized interfaces isolate. . .ART, ED 24, p. 114

Standards for dynamic MOS RAMs. . .ART, ED 17, p. 66

Static or dynamic RAMs? Only the system can say for sure. . .NEWS, ED 6, p. 51

Superplotter draws dashed lines in four colors, doubles as printer with five type fonts. . .PF, ED 7, p. 124

Synchronous counter also shifts for serial/parallel conversions. . .IFD, ED 19, p. 118

TI data terminals contain bubble memory . . .NEWS, ED 10, p. 22

Talking and Braille calculators serve the blind—for a high price. . .NEWS, ED 20, p. 32

Tape transport is small, but its bit-storage capacity is big. . .NEWS, ED 22, p. 28

Thermal printer delivers full pages in less than 20 s. . .PF, ED 22, p. 100

Two-headed floppy accesses twice the data in half the time. . .PF, ED 9, p. 146

Two-speed s/d converter yields 20 bits from 1 box. . .PF, ED 20, p. 115

Versatile PROM programmer takes on all memories. . .PF, ED 6, p. 120

Voice recorder uses digital-data compression. . .NEWS, ED 1, p. 27

Wang small business computer line expanded. . .NEWS, ED 7, p. 20

24-channel, 8-bit a/d comes in just two 32-pin DIPs. . .PF, ED 7, p. 118

32 times the bit rate instead of 16 from a programmable baud generator. . .IFD, ED 17, p. 104

$500 computer system talks over IEEE 488 bus. . .NEWS, ED 11, p. 21

Consumer Electronics

Audio compass tells you when you're out-of-line. . .NEWS, ED 23, p. 22

Be a gambler without losing—time, that is . . .NEWS, ED 16, p. 25

Bipolar processor in TV set leads to preprogrammed channel selection. . .NEWS, ED 3, p. 24

Calculators lose keys, batteries—and gain timer. . .NEWS, ED 14, p. 21

Chess and chance games win at electronics show. . .NEWS, ED 4, p. 21

Circular-polarized beams will clear up TV picture. . .NEWS, ED 13, p. 17

Digital-integrator for intrusion systems discriminates against false signals . . .IFD, ED 5, p. 74

Digital is still the way to go for consumer-electronics products. . .SR, ED 1, p. 50

Digital wristwatch contains a scientific calculator. . .NEWS, ED 5, p. 17

Display tells how far to drive—or walk . . .NEWS, ED 15, p. 22

Driving shocks electronically softened . . .NEWS, ED 25, p. 22

Electronic car-alternator regulator built with low-cost discrete components . . .IFD, ED 25, p. 100

Electronic dice game built with only analog circuits. . .IFD, ED 15, p. 102

Electronic regulator for car alternators switches on/off rapidly to maintain 14 V. . .IFD, ED 15, p. 100

Electronics in cars must be as reliable as in space. . .NEWS, ED 25, p. 22

Game timer generates coasting pulses positively clamped to prevent a glitch . . .IFD, ED 25, p. 96

HP wristwatch—first with timely calculations. . .NEWS, ED 13, p. 17

IR-activated headphone works without a cord. . .NEWS, ED 3, p. 13

Indoor FM antenna is tunable and 'electronically directable'. . .NEWS, ED 23, p. 34

LCD watches, calculators to run on 5-year cells. . .SR, ED 18, p. 130

Music played, recorded by electronic pianist. . .NEWS, ED 15, p. 21

Now you can watch two shows at once . . .NEWS, ED 21, p. 20

PLL IC for televisions eliminates H and V knobs. . .NEWS, ED 23, p. 22

Rf power alerts, control begins at home . . .NEWS, ED 20, p. 23

ANNUAL INDEX

Radar braking system, your car won't stop at every tree. . .NEWS, ED 23, p. 30

'Roots' of improving CBs can be traced to varied technologies. . .NEWS, ED 8, p. 32

S/n up, phase distortion down in Hall playback. . .NEWS, ED 16, p. 25

Schottky diodes rectify efficiently in a bicycle-lighting system. . .IFD, ED 14, p. 92

Smoke detectors coming on strong—look for ICs. . .NEWS, ED 22, p. 24

Speeders beware: The cops can fake you out. . .NEWS, ED 26, p. 19

Stereo cartridge holds up to 1 Mbyte of data. . .NEWS, ED 10, p. 22

Timer pulses coasting to a stop heighten electronic game realism. . .IFD, ED 5, p. 78

Timing circuit burps battery to improve charging efficiency. . .IFD, ED 12, p. 116

Ultrasonic system turns the lights on and off. . .NEWS, ED 2, p. 16

Video games continue to sell big, but EMI/RFI proofing is a problem. . .NEWS, ED 9, p. 36

Videocassette player handles 4-hour tapes . . .NEWS, ED 19, p. 22

Warbling alarm generator with two op-amp oscillators. . .IFD, ED 7, p. 108

Zinc-chlorine batteries being readied for cars. . .NEWS, ED 6, p. 22

Displays & Electro-Optics

Add missing segments to 6 and 9 on standard seven-segment decoders . . .IFD, ED 19, p. 122

Atomic structures are more precise in 3-D. . .NEWS, ED 3, p. 14

Color monitors can be adjusted on sight . . .NEWS, ED 9, p. 28

Convert seven-segment numerical code to decimal with simple gates. . .IFD, ED 4, p. 132

Current limiters added to smallest LED lamps. . .NEWS, ED 16, p. 26

Design your own data terminal. . .ART, ED 16, p. 56

Diode-feedback comparator circuit regulates a LED's drive current. . .IFD, ED 6, p. 108

Fiber-optic connector cuts interface losses. . .NEWS, ED 26, p. 20

FOCUS on readouts. . .SR, ED 25, p. 56

Graphics terminal plots, stretches, zooms 'n pans. . .PF, ED 14, p. 92

Graphics unit drives four different X-Y displays. . .PF, ED 22, p. 99

Implement a lab-scope data display with μP software. . .IFD, ED 3, p. 68

Interface slows visual-display data for driving data-recording peripherals. . .IFD, ED 19, p. 120

Liquid-based solar cells: high efficiency, low cost. . .NEWS, ED 18, p. 20

Liquid-crystal panels put car functions on display. . .NEWS, ED 9, p. 27

Liquid crystals, lasers and μPs reflected in tomorrow's displays. . .NEWS, ED 10, p. 42

Low-cost electro-optical disc stores clear images. . .NEWS, ED 1, p. 28

Narrow your choice of displays. . .ART, ED 25, p. 68

Optical couplers isolate, control and monitor to allow 6-kV supply to float . . .IFD, ED 4, p. 134

Ovshinsky strikes again: amorphous solar cells. . .NEWS, ED 16, p. 25

Process makes optical strands long and strong. . .NEWS, ED 1, p. 27

Solar-cell technology advances—but slowly. . .NEWS, ED 26, p. 24

Solar energy may power rendezvous with comet. . .NEWS, ED 21, p. 20

Sturdy electromagnetic element displays in color, saves power. . .NEWS, ED 25, p. 34

TTL oscillator interfaces data for display by a television set. . .IFD, ED 5, p. 76

Trace symbols on CRT screen without access to the Z axis. . .IFD, ED 4, p. 138

Video terminal combines graphics, text processing. . .NEWS, ED 22, p. 20

General Industry

As R&D spending goes, so goes our technology—down. . .NEWS, ED 24, p. 21

Biggest windmill to generate 2.5 MW . . .NEWS, ED 16, p. 26

Electric power may come from thermal noise. . .NEWS, ED 7, p. 20

Engineers: prepare for a taxing time . . .NEWS, ED 6, p. 22

From those who brought you Wescon—here's Midcon. . .NEWS, ED 9, p. 21

Bill Hearn of Berkeley Laboratory wins annual 'Ideas for Design' award. . .IFD, ED 1, p. 130

National group stumps for U.S. technology. . .NEWS, ED 22, p. 20

New York's blackout: Too many questions, not enough answers. . .NEWS, ED 17, p. 28

Technology: With society or against it? . . .NEWS, ED 25, p. 40

Wage busting plagues engineers, but help may be on the way. . .NEWS, ED 4, p. 26

Vladimir Zworykin the man who was sure TV would work. . .SR, ED 18, p. 112

1977 career and salary survey. . .SR, ED 16, p. 36

Industrial Electronics

Alarm circuit guards a guarding-camera system. . .IFD, ED 9, p. 114

Buffer circuit for line driver protects against shorts and ±325-V surges. . .IFD, ED 23, p. 102

Build a versatile nonsequential controller that is faster than a microprocessor . . .IFD, ED 24, p. 164

Computer locates objects on product line . . .NEWS, ED 23, p. 21

Control the speed and phase of a dc motor by comparison against a control frequency. . .IFD, ED 17, p. 102

DPM makers earn Underwriters' recognition. . .NEWS, ED 23, p. 21

Drive servos with a switching amplifier . . .ART, ED 26, p. 142

Expander matches ground-fault interrupt circuit to UL trip-time specifications . . .IFD, ED 3, p. 70

Float charger independently recharges two lead-acid cells connected in series . . .IFD, ED 17, p. 108

FOCUS on stepping motors. . .SR, ED 22, p. 48

Iso/instrumentation amp even powers transducer. . .NEWS, ED 8, p. 26

Keys to quality intercom design. . .ART, ED 11, p. 194

Optocoupled line-receiver input discriminates against narrow noise pulses. . .IFD, ED 26, p. 174

Phase-sequence detector built with a dual D-type flip-flop. . .IFD, ED 7, p. 106

Process controls are evolving fast. . .ART, ED 24, p. 142

Rf beam welds and cuts metals, ceramics and cements. . .NEWS, ED 8, p. 34

Reduce ground-loop problems in safety-grounded instruments. . .IFD, ED 16, p. 106

Remote-base biased SCR to make a simple HV logic translator. . .IFD, ED 11, p. 216

Solid-state I/O relays control loads of up to 4 A. . .PF, ED 25, p. 120

Storing energy for peak power is a job for 'super' batteries. . .NEWS, ED 6, p. 30

Transformer completely isolates contact without a floating power source. . .IFD, ED 20, p. 106

Management

Fred Bucy of TI speaks on managing innovation. . .ART, ED 19, p. 108

Wilf Corrigan of Fairchild speaks on aiming your engineers at objectives. . .ART, ED 23, p. 94

Carl Korn of Dynascan speaks on training real-world engineers. . .ART, ED 16, p. 94

Stan Kukawka of Allen-Bradley speaks on getting the small-company spirit in a large engineering organization. . .ART, ED 8, p. 138

Dick Lee of Siliconix speaks on making your engineers bigger. . .ART, ED 4, p. 126

Dave Methvin of Computer Automation speaks on getting your engineers to do engineering. . .ART, ED 11, p. 206

Mal Northrup of Rockwell speaks on building program managers. . .ART, ED 25, p. 90

Eduard Pannenborg of Philips speaks on measuring engineers. . .ART, ED 15, p. 94

Webb Scroggin of Dana Labs speaks on speeding from lab to marketplace . . .ART, ED 13, p. 96

Jim Wolfe of Centralab speaks on decentralizing engineering. . .ART, ED 6, p. 98

Materials & Packaging

Ceramics, ceramoplastics and glasses . . .ART, ED 8, p. 100

ANNUAL INDEX

Current-carrying rods power backplaneless card assemblies. . .NEWS, ED 13, p. 30

Design EMI shielding more accurately . . .ART, ED 6, p. 88

Determine wire size with nomograms . . .ART, ED 20, p. 90

Don't let shield currents defeat the purpose of shielding. . .IFD, ED 1, p. 126

Electromagnetic-interference specs . . .ART, ED 25, p. 76

FOCUS on flat flexible cable. . .SR, ED 9, p. 60

FOCUS on multipin cable panel connectors. . .ART, ED 13, p. 54

Graphite to improve more connector contacts. . .NEWS, ED 11, p. 22

Grounding and shielding practices. . .ART, ED 1, p. 110

Heat pipe may replace heat sink in power semis. . .NEWS, ED 20, p. 24

IC packages are changing shape to handle growing LSI chips. . .NEWS, ED 26, p. 30

Inexpensive metal cabinets come in a variety of sizes. . .PF, ED 5, p. 88

Magnetic shielding strengthened 'softly' . . .NEWS, ED 8, p. 40

Piezoelectric ceramics. . .ART, ED 19, p. 92

Plastic insulation is safer than asbestos . . .NEWS, ED 21, p. 20

Plated-hole attachment method reduces shorts and leaks in ECL three-plane panels. . .PF, ED 13, p. 115

Shrinkable plastic tubes. . .ART, ED 26, p. 166

Wideband vertically mounted microstrip transformer uses little PC-board area . . .IFD, ED 20, p. 108

Wire-brush connector contacts mate easily, provide low contact ohms. . .PF, ED 7, p. 128

Medical Electronics

Brain cells monitored by tiny FM transmitter. . .NEWS, ED 26, p. 20

ITT head gets patent on wrist pulse monitor. . .NEWS, ED 2, p. 6

Microprocessors

Analog boards for microcomputers: You can't always get what you want. . .SR, ED 19, p. 26

Analog I/O cards for industry plug into Motorola 6800. . .PF, ED 19, p. 131

Best processor performance. . .ART, ED 12, p. 84

Binary-to-BCD conversion for μPs packs the units and tens into one byte. . .IFD, ED 21, p. 212

Break the 65-kbyte address barrier. . .ART, ED 23, p. 82

Build a μP-based simulator and learn . . .ART, ED 12, p. 104

Chip can interface micro with bus—all by itself. . .NEWS, ED 21, p. 19

Choosing a μP by its capabilities is a growing 'family affair'. . .NEW, ED 12, p. 26

Circuit allows program-halt and single-instruction mode on μP. . .IFD, ED 2, p. 94

Computer uses micro, multiprogramming . . .NEWS, ED 9, p. 28

Control your analog variables digitally . . .ART, ED 5, p. 68

Cut a building's energy use, call on 'Judy' the μP system. . .NEWS, ED 6, p. 26

Cut a/d conversion costs by using. . .ART, ED 9, p. 86

Design of a home security system. . .ART, ED 9, p. 70

Develop systems around the SC/MP. . .ART, ED 2, p. 62

Development aids speed SC/MP system prototyping. . .PF, ED 3, p. 35

Digitally programmed oscillator is suitable for μP control. . .IFD, ED 13, p. 102

Elephant with μP brain skates in Rose Parade. . .NEWS, ED 2, p. 15

Emulate a seven-segment decoder with a subroutine in a μP control program . . .IFD, ED 18, p. 148

Exploit existing Nova software. . .ART, ED 19, p. 54

First development system for bit-slice μPs . . .NEWS, ED 14, p. 22

Getting the bugs out of your software . . .ART, ED 12, p. 96

Hardware memory, software give μP systems macro performance. . .NEWS, ED 18, p. 26

Circuit Breakers



Potter & Brumfield circuit breakers know when to say no!

They say no to overcurrents and faults until the condition is corrected, even if the toggle or reset button is held in manually. Extra protection against mechanical or human error!

Thermal and magnetic hydraulic models offer a broad range of current ratings and styles. Magnetic models feature series, shunt or relay trip; auxiliary switch; instantaneous or time delay trip, and multi-pole units with toggle or rocker operation.

P&B circuit breakers are not one-shot throwaway devices. Save! Say no to fuses and call or write Potter & Brumfield Division, AMF Incorporated, 200 Richland Creek Dr., Princeton, IN 47671. 812/386-1000.

CIRCLE NUMBER 62

Potter&Brumfield

High-performance processors. . .ART, ED 7, p. 86

Home computers: from a bag of parts to a system you simply plug in. . .NEWS, ED 19, p. 36

Intelligent teletypewriter. . .ART, ED 2, p. 74

Intel's advanced 80/20 has twice the memory. . .NEWS, ED 9, p. 28

Interfacing with μPs improved by LSI chips . . .SR, ED 18, p. 124

Keep your microcomputer alive. . .ART, ED 16, p. 80

Keyboard-to-microprocessor interfaces: Should you use an encoder or the μP . . .NEWS, ED 8, p. 73

Locate interrupts for μP peripherals quickly without the need for polling. . .IFD, ED 15, p. 104

Low-cost μP selection. . .ART, ED 5, p. 60

MOS μP or bipolar slice? It's more than a matter of speed. . .NEWS, ED 7, p. 63

Marry your μP to monolithic a/ds. . .ART, ED 2, p. 82

Mate microprocessors with CRT displays . . .ART, ED 19, p. 68

Microcomputer with 8085 is the lowest priced, yet. . .NEWS, ED 12, p. 22

Microcomputer's I/O software. . .ART, ED 7, p. 76

Microprocessor-based video games. . .ART, ED 25, p. 84

Microprocessor data manual. . .SR, ED 21, p. 82

Microprocessor fundamentals. . .ART, ED 21, p. 74

Microprocessor selection guide. . .SR, ED 21, p. 55

Microprocessors communicate. . .ART, ED 23, p. 88

'Modularize' μP chip functions and improve your testing results. . .NEWS, ED 1, p. 75

Multi-μP systems combine the efficiency . . .ART, ED 16, p. 68

Multiprocessing can marry a radar. . .ART, ED 16, p. 74

Nonvideo games pit man vs microprocessor. . .NEWS, ED 10, p. 21

One-chip microcomputers arrive—and they're very capable. . .SR, ED 8, p. 56

One-chip or bit-slice—know their limits . . .SR, ED 18, p. 126

PC boards with μPs need faster testers . . .SR, ED 18, p. 122

Peripheral chips add functions—and problems—to μP systems. . .NEWS, ED 10, p. 32

Powerful microprocessor performance . . .ART, ED 14, p. 54

Primer on bit-slice processors. . .ART, ED 3, p. 52

Program μPs with the new software design aids. . .NEWS, ED 2, p. 20

Programmable baud generator for an 8080 works off the system's clock. . .IFD, ED 16, p. 104

Second source coming for single-board μC. . .NEWS, ED 8, p. 26

Simplify your next microcomputer. . .ART, ED 15, p. 64

Single-bit μP avoids overkill. . .PF, ED 10, p. 106

Single-board control computer uses 8748/8048 microprocessor. . .PF, ED 10, p. 112

Software called the key to future μP designs. . .NEWS, ED 15, p. 34

Software is a vital part of any computer . . .ART, ED 1, p. 90

Software modules are the building blocks . . .ART, ED 3, p. 62

Solve software problems step by step . . .ART, ED 2, p. 54

Soviet process control will go the μP route . . .NEWS, ED 4, p. 21

Speedy arithmetic circuit unburdens busy microprocessor systems. . .PF, ED 4, p. 43

Take advantage of 8080 and 6800. . .ART, ED 8, p. 90

Time stretcher speeds memory access in Z80 μP. . .IFD, ED 18, p. 150

Tracing signatures finds faults on μP boards. . .NEWS, ED 7, p. 19

Users and manufacturers don't speak the same μP language. . .NEWS, ED 7, p. 26

Watchdog circuit guards μP systems against looping. . .IFD, ED 2, p. 90

μP-based computer system sells for under $1000. . .NEWS, ED 6, p. 36

μP-controller pen gauges signatures . . .NEWS, ED 26, p. 20

μP packs mini power but stays Z80-compatible. . .NEWS, ED 21, p. 20

4-bit slices. . .ART, ED 10, p. 62

...and other solutions to your tough design problems are found in P&B's growing product line.

AMF Potter & Brumfield



New **low-cost ECT hybrid AC relay.** Reed-triggered triac switches 2 to 32 amps. Now with AC or DC input. Life to 10 million operations. Has built-in snubber for loads of .40 P.F. or greater. UL-CSA rated.

CIRCLE NUMBER 151



New **Sealed R50 PC board relays.** Flow solderable and immersion cleanable! Low-profile 2 and 5 amp. models permit high density packaging. UL recognized. Many SPDT and DPDT models directly compatible with TTL, CMOS and HTL buffers. Terminal spacing for 0.1" grid.

CIRCLE NUMBER 152



CMOS controlled CG time delay. Standard delays range from 0.1-1 sec. to 10-100 min. Delays to one year or more available. Repeatability is typically .05% for DC units, 0.1% for AC, including the first cycle! DPDT contacts rated 10 amps at 120V AC. Delay on operate, interval on or delay on release models.

CIRCLE NUMBER 153



Long-life S11L DC solenoid. Shock-dampened operation extends life for tough vending machine, machine tool control and photocopy machine applications. Pull-on-operate 6, 12 and 24 volt continuous duty coils. Insulation: Class A 105°C.

CIRCLE NUMBER 154

ANNUAL INDEX

(continued from page 131)

4-bit μP slices. . .ART, ED 10, p. 74
16-bit bipolar microcomputer family is 10 times faster than MOS-based systems . . .PF, ED 5, p. 41
16-bit bipolar μP chip suits tough environment. . .NEWS, ED 4, p. 22
16-bit microprocessor can run the lights, too. . .NEWS, ED 9, p. 27
8048 is second-sourced. . .NEWS, ED 18, p. 20
8080As are not all alike; you should know the differences. . .NEWS, ED 2, p. 41

Military & Aerospace

Antenna receives sub signals at 100-m depth. . .NEWS, ED 5, p. 18
Assembly problems? A NASA team may help. . .NEWS, ED 10, p. 21
Bubble memories are going military in air and space applications. . .NEWS, ED 13, p. 34
ELF technology saved—Seafarer gets a year. . .NEWS, ED 18, p. 19
Laser radar lets copters track tiny obstacles. . .NEWS, ED 12, p. 21
Manpack satellite communications links soldiers with air, sea support. . .NEWS, ED 17, p. 36
Photocell tells if army weapons are on-target. . .NEWS, ED 23, p. 21
Pilots will know where lightning strikes . . .NEWS, ED 6, p. 22
Put your product in space and see what happens. . .NEWS, ED 2, p. 15
Shuttle tolerates glitch—computer gets 'voted out'. . .NEWS, ED 19, p. 22
Space scope to seek X-ray sources . . .NEWS, ED 11, p. 38
Standard Navy computer has low-power core memory. . .NEWS, ED 23, p. 27

Semiconductors

BBD time delay sets record at 4096 stages . . .NEWS, ED 18, p. 20
Break loose from fixed IC regulators . . .ART, ED 8, p. 118
CCDs: the least power and the highest density. . .NEWS, ED 22, p. 19
CMOS puts new a/d technique ahead of dual-slope method. . .NEWS, ED 8, p. 36
Consider mask-programmable arrays . . .ART, ED 26, p. 156
Current-mode logic is packed densely to raise speed and cut power drain . . .NEWS, ED 5, p. 32
D/a offers tenfold speed boost over competition. . .PF, ED 9, p. 123
Do-it-yourself with MOS and bipolar IC . . .NEWS, ED 5, p. 17
Don't trade off analog-switch specs. . .ART, ED 15, p. 56
Fabrication and circuit progress leads to better microwave devices. . .NEWS, ED 7, p. 38
Fast fall-time power transistors handle large secondary breakdown energy . . .PF, ED 7, p. 115
Faster, denser, cheaper: And what an assortment. . .SR, ED 8, p. 61
Faster doping will increase semi yields and performance. . .NEWS, ED 13, p. 38
First monolithic 12-bit DAC uses a new zener trim technique. . .NEWS, ED 4, p. 34
FOCUS on linear-IC amplifiers. . .SR, ED 4, p. 72
FOCUS on power transistors and thyristors. . .SR, ED 23, p. 52
I²L and CMOS battle for lead as IC-technology race heats up. . .NEWS, ED 7, p. 42
I²L performance will be improved several ways. . .NEWS, ED 25, p. 21
Look out, power transistors: Here come the power FETS. . .NEWS, ED 22, p. 30
MOS memory performance matches bipolar in medium-speed range. . . NEWS, ED 7, p. 30
NMOS memories—they're faster and run cooler. . .NEWS, ED 6, p. 21
Out in space or on the road, discrete devices are on the job. . .SR, ED 1, p. 38
Plastic-cased PROM matches EPROM for less. . .NEWS, ED 17, p. 19
Plastic VMOS FETs vie with power bipolars . . .NEWS, ED 19, p. 22
Point-contact diode spans dc to infrared . . .NEWS, ED 11, p. 22
Popular IC-timer in DIP is compatible with high-noise immunity logic. . .PF, ED 16, p. 114
Power transistor process boosts performance. . .NEWS, ED 21, p. 38
Regulator delivers 3 to 30 V and limits currents to 1.8 A. . .PF, ED 26, p. 192
SCR-bridge currents can be complex . . .ART, ED 20, p. 70
Spectrum analyzer on a chip? Analog CCD module comes close. . .NEWS, ED 21, p. 32
TI's new op amps use much less power . . .NEWS, ED 14, p. 22
Technologies needed to increase IC density. . .NEWS, ED 15, p. 21
Temperature, not current switches p-n-p-n element. . .NEWS, ED 2, p. 32
μCs on a chip and integrated d/a's about to usher in an IC harvest. . .SR, ED 1, p. 34
Ultra-high-speed logic—more than just a promise in LSI. . .NEWS, ED 7, p. 34
Watch that transistor phase lag. . .ART, ED 1, p. 122
16-k RAM makers play speed leapfrog . . NEWS, ED 15, p. 21

Test & Measuring

Automatic testing makes cents—but not all the time. . .NEWS, ED 25, p. 30
Autoranging comes to low-cost, vhf counter. . .PF, ED 13, p. 126
Bit-slice development system looks like a compact instrument. . .PF, ED 26, p. 188
Calibrator stores tolerance limits. . .PF, ED 19, p. 142
Changing tests as you go improves ATE throughput. . .NEWS, ED 20, p. 24
Component temperature measurements can improve your design. . .SR, ED 24, p. 86
Crystal-controlled time-base generator measures frequency/time in low-cost scopes. . .IFD, ED 10, p. 88
DVM chips include 7-segment decoder and LED drivers. . .PF, ED 9, p. 124
Data logger changes role with drop-in card modules. . .PF, ED 2, p. 104
Design an IEEE-488 bus. . .ART, ED 24, p. 104
Digital-panel thermometer automatically scans inputs. . .PF, ED 18, p. 157
Double-exposure technique lets you take good spectrum-analyzer photographs . . .IFD, ED 11, p. 218
Excite your SAW device. . .ART, ED 8, p. 132
FET bias curves. . .ART, ED 7, p. 98
First dual-display counter. . .PF, ED 8, p. 186
John Fluke of Fluke Mfg. speaks on the future of the voltmeter. . .SR, ED 24, p. 96
FOCUS on electronic counters. . .SR, ED 11, p. 54
FOCUS on logic and μP analyzers. . .SR, ED 3, p. 40
Four memory chips can be tested at once . . .NEWS, ED 12, p. 22
Function generator breaks 50-MHz output barrier. . .PF, ED 10, p. 102
IC tester handles 120-pin devices. . .NEWS, ED 24, p. 22
Improve your digital recorder. . .ART, ED 24, p. 148
Instrument safety standard may come true on the fourth try. . .NEWS, ED 9, p. 42
Interface for IEEE-488 bus. . .NEWS, ED 8, p. 26
Junction-to-case thermal resistance can be 'measured'. . .PF, ED 10, p. 104
Logic analyzer traces nested loops to 7 levels with state sequences and 'menu' control. . .PF, ED 10, p. 99
Logic analyzers aim to fill more needs . . .NEWS, ED 17, p. 19
Logic monitors add data-stream comparison. . .NEWS, ED 25, p. 22
Measure phase noise. . .ART, ED 4, p. 106
Measure relay-operate and release times automatically on standard digitally timers. . .IFD, ED 11, p. 214
Measure SAW-device characteristics . . .ART, ED 4, p. 112
Microprocessor boards are here; now they have to be tested. . .SR, ED 8, p. 58
Microprogram control on your analog tester. . .ART, ED 14, p. 74
Module simplifies DPM recipe—you can choose the display. . .PF, ED 25, p. 106
North Sea oil platform will monitor its own movements. . .NEWS, ED 11, p. 36
Phase-sensing probe finds more shorts, opens. . .NEWS, ED 19, p. 21
Printed-circuit dc performance. . .ART, ED 6, p. 94

Programmable source spans 1 mHz to 50 MHz. . .PF, ED 19, p. 145
Resolving DMM accuracy. . .ART, ED 5, p. 72
Scope measures its own rise time. . .ART, ED 24, p. 130
Sig gens, synthesizers—and a capable offspring. . .SR, ED 24, p. 76
Signal source selection isn't easy. . .ART, ED 13, p. 76
Simple CMOS keyboard encoder circuit programs voltage source in 1-V steps . . .IFD, ED 7, p. 104
Simple circuit blanks the leading zeros for single-chip DVM/DPM a/d converters . . .IFD, ED 20, p. 106
'Smart'ly dressed instruments will save you real money this year. . .SR, ED 1, p. 42
Solve phase-angle averaging riddles . . .ART, ED 15, p. 88
Spectrum analyzer boosts accuracy and resolution. . .PF, ED 18, p. 158
Stop counter errors. . .ART, ED 1, p. 104
Strongest magnetic field takes little power . . .NEWS, ED 8, p. 25
Temperature controller keeps components out of the ovens. . .PF, ED 26, p. 182
Test converters fast. . .ART, ED 24, p. 136
Test digital circuits in step-by-step or continuous modes driven by the tested system's clock. . .IFD, ED 21, p. 210
Test probe checks power or continuity without switching or probe adjustments. . .IFD, ED 3, p. 72
Tester 'learns' what it measures. . .NEWS, ED 23, p. 34
Testers can penetrate the surface of Mars . . .NEWS, ED 16, p. 26
Testing circuit cards can be a 'monstrous' job. . .SR, ED 24, p. 64
Testing 16-k dynamic RAMs. . .ART, ED 19, p. 86
Three-digit bipolar voltmeter built with v/f converter and BCD counters. . .IFD, ED 19, p. 116
Time-interval meter reads digitally to 99.9 ms on a DVM IC. . .IFD, ED 6, p. 108
UL 1244 will change instrument probe designs. . .NEWS, ED 13, p. 17
Ultrasonic transducer tests without contact. . .NEWS, ED 26, p. 19
Verify transistor ratings. . .ART, ED 8, p. 126
Voltage comparators provide null detection for bridge circuits. . .IFD, ED 18, p. 152
What's wrong with your instrument? It may tell you. . .SR, ED 24, p. 56
What's wrong with 488? Not much, but . . .SR, ED 24, p. 48
3-1/2-digit multimeter: the lowest-cost of the low. . .NEWS, ED 21, p. 19
7-1/2-digit DVM—another first. . .NEWS, ED 5, p. 18
60-GHz spectrum analyzer resolves down to 30 Hz. . .PF, ED 8, p. 183
250-MHz counter works from NiCd batteries. . .PF, ED 5, p. 86

New Multimeter — New Price
5½ Digit — AC, DC, Ω —
the new CIMRON® DMM53
$795.00

Cimron, the 5 digit specialists since 1963, who brought you the first full-function 5½ digit DMM for less than $1000.00, now bring you a 5½ digit, full function DMM for $795.00, with specifications to 1 year, autozero, autorange, 5 ranges DC, 5 ranges AC, 6 ranges ohms, high input impedance to 20VDC and many other features.

5150 Convoy St.
San Diego, Calif. 92111
Phone (714) 279-8620
Telex 695047

California Instruments
A Norlin Technology Company

CIRCLE NUMBER 63

Four ways to build better Power Chokes...
with ferrite cores from Fair-Rite

When designing switch mode power supplies, you can provide more stable inductance for the filters in the presence of DC load currents, by using these types of ferrite cores:

1.
Gapped pot cores for exceptional shielding qualities.

2.
Gapped E-cores, giving moderate shielding at lower cost.

3.
Round bobbins; priced lower yet; no shielding qualities, but highly stable.

4. 
Square bobbins; most economical; without shielding properties, but least affected by DC.

Write for FREE application note on use of the Hanna curve to select the proper air gap for ferrite cores. All, and much more, from:

FAIR-RITE PRODUCTS CORP.
Wallkill, NY 12589 Phone 914-895-2055 TWX: 510-249-4819
FERRITE CORES FOR THE ELECTRONICS INDUSTRY

CIRCLE NUMBER 64